

TIPS for TEENS

TOBACCO USE

THE TRUTH ABOUT TOBACCO USE

SLANG FOR CIGARETTES:
SMOKES/CIGS/BUTTS

SLANG FOR SMOKELESS TOBACCO:
CHEW/DIP/SPIT TOBACCO/SNUFF

GET THE FACTS

TOBACCO USE DAMAGES YOUR HEALTH. Smoking, which is the most common cause of lung cancer, is also a leading cause of cancer of the mouth, throat, bladder, pancreas, and kidneys.¹

TOBACCO USE AFFECTS YOUR BODY'S DEVELOPMENT. Smoking—including vaping, cigars, and hookah use—is particularly harmful for teens because your body is still growing and changing. Evidence shows that smoking has an impact on nearly every organ in a person's body.²

TOBACCO CONTAINS ADDICTIVE INGREDIENTS. Tobacco is a plant grown for its leaves, which are dried and fermented to put in tobacco products. It contains nicotine, an ingredient that can lead to addiction. The younger you are when you begin to smoke, the more likely you are to become addicted to nicotine.³ According to the 2014 *Surgeon General's Report*, nearly 9 out of 10 adult smokers first tried smoking before age 18.⁴

TOBACCO USE CAN KILL YOU. Cigarette smoking is responsible for about 480,000 deaths per year in the U.S.⁵ Worldwide, tobacco smoking and secondhand smoke combined cause nearly 7 million deaths per year.⁶

? Q&A

Q. ISN'T SMOKING COOL?

A. Advertisements often portray smoking as glamorous and sophisticated, but these ads are created to sell products and use youth-oriented themes.

Q. IS SMOKELESS TOBACCO SAFE?

A. NO. No form of smokeless tobacco is safe. It contains at least 30 chemicals that are known to cause cancer.⁷

Q. DO MOST TEENS SMOKE?

A. NO. Although the majority of teens don't smoke,⁸ it's important to remember that cigarette use among teens is still harmful and should be prevented from becoming more popular.

Q. DOESN'T SMOKING HELP YOU RELAX?

A. NO. Use strategies such as exercise or talking to your friends to help calm your nerves.⁹

THE BOTTOM LINE:

Tobacco use is dangerous and can be deadly. Talk to your parents, a doctor, a counselor, a teacher, or another adult you trust if you have questions.

LEARN MORE:

Get the latest information on how drugs affect the brain and body at teens.drugabuse.gov.

TO LEARN MORE ABOUT TOBACCO, CONTACT: SAMHSA

1-877-SAMHSA-7 (1-877-726-4727)
(English and Español)

TTY 1-800-487-4889

www.samhsa.gov
store.samhsa.gov



be AWARE BLOUNT
PREVENTION & WELLNESS COALITION

865-500-0530 | beawareblount.org

ENDING SUBSTANCE MISUSE AND OVERDOSE IN BLOUNT COUNTY


This project is funded under a grant contract with the state of Tennessee Department of Mental Health and Substance Abuse Services.

TN Department of
**Mental Health &
Substance Abuse Services**



BEFORE YOU RISK IT!

- 1 KNOW THE LAW.** It is illegal for anyone under 18 to buy cigarettes, smokeless tobacco, or tobacco-related products. As of September 2018, six states and at least 350 localities have raised the minimum age to 21.
- 2 STAY INFORMED.** Young people often underestimate the addictiveness of nicotine and the effect of tobacco use on their health. This is why quitting can be difficult. A recent report revealed that about 45 percent of high school cigarette smokers tried to stop smoking in the past 12 months.¹⁰
- 3 BE AWARE.** It can be hard to play sports if you use tobacco. Smoking causes diseases that result in shortness of breath and dizziness.¹¹
- 4 THINK OF OTHERS.** More than 41,000 nonsmokers die every year due to secondhand smoke exposure.¹² Secondhand smoke causes nearly 34,000 premature deaths from heart disease and more than 8,000 deaths from stroke each year in the United States among nonsmokers.¹³
- 5 GET THE FACTS.** Each day, about 1,700 people between the ages of 12 and 17 start smoking.¹⁴ Many will suffer long-term health consequences.¹⁵



MORE INFORMATION

FOR MORE INFORMATION OR FOR RESOURCES USED IN THIS

"TIPS for TEENS,"

visit store.samhsa.gov or call
1-877-SAMHSA-7 (1-877-726-4727)
(English and Español).

PEP NO. 19-07 REVISED 2019

SAMHSA complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.

SAMHSA

Substance Abuse and Mental Health
Services Administration



KNOW THE SIGNS

How can you tell if a friend is using tobacco? Symptoms of tobacco use may include:¹⁶

- **Coughing**
- **Bad breath**
- **Smelly hair and clothes**
- **Yellow-stained teeth and fingers**
- **Frequent colds**
- **Bleeding gums (smokeless tobacco)**
- **Frequent mouth sores (smokeless tobacco)**



WHAT CAN YOU DO TO HELP SOMEONE WHO IS USING TOBACCO?

BE A FRIEND. SAVE A LIFE.

Encourage your friend to stop using or seek help from a parent, teacher, or other caring adult.

For 24/7 free and confidential information and treatment referrals in English and Español, call SAMHSA's National Helpline at:

1-800-662-HELP (1-800-662-4357)

or visit the SAMHSA Behavioral Health Treatment Services Locator at:

findtreatment.samhsa.gov

¹ National Cancer Institute. (2017). Harms of Cigarette Smoking and Health Benefits of Quitting. Retrieved from <https://www.cancer.gov/about-cancer/causes-prevention/risk/tobacco/cessation-fact-sheet>

^{2, 4, 5, 12, 13, 15} U.S. Department of Health and Human Services. (2014). *The health consequences of smoking: 50 years of progress. A report of the surgeon general*. Retrieved from <https://www.surgeongeneral.gov/library/reports/50-years-of-progress/full-report.pdf>

³ American Cancer Society. (2015). Why People Start Smoking and Why It's Hard to Stop. Retrieved from <https://www.cancer.org/cancer/cancer-causes/tobacco-and-cancer/why-people-start-using-tobacco.html>

⁶ World Health Organization. (2011). WHO Report on the Global Tobacco Epidemic. Retrieved from http://www.who.int/tobacco/global_report/2011/en/

⁷ American Cancer Society. (2015). Health Risks of Smokeless Tobacco. Retrieved from <https://www.cancer.org/cancer/cancer-causes/tobacco-and-cancer/smokeless-tobacco.html>

^{8, 14} Substance Abuse and Mental Health Services Administration. (2018). *Key substance use and mental health indicators in the United States: Results from the 2017 National Survey on Drug Use and Health* (HHS Publication No. SMA 18-5068, NSDUH Series H-53). Retrieved from <https://www.samhsa.gov/data/sites/default/files/cbhsq-reports/NSDUHFFR2017/NSDUHFFR2017.pdf>

⁹ Smokefree.gov. (2017). Stress and Smoking. Retrieved from <https://smokefree.gov/challenges-when-quitting/stress-mood/stress-smoking>

¹⁰ Centers for Disease Control and Prevention. (2016). Youth Risk Behavior Surveillance—United States, 2015. *Morbidity and Mortality Weekly Report*, 66(SS-6):1-174. Retrieved from https://www.cdc.gov/healthyyouth/data/yrbs/pdf/2015/ss6506_updated.pdf

¹¹ American Lung Association. (2016). Shortness of Breath Symptoms, Causes and Risk Factors. Retrieved from <http://www.lung.org/lung-health-and-diseases/lung-disease-lookup/shortness-of-breath/shortness-breath-symptoms-risks.html>

¹⁶ Centers for Disease Control and Prevention. (2009). What You(th) Should Know About Tobacco. Retrieved from https://www.cdc.gov/tobacco/basic_information/youth/information-sheet/index.htm